

**Protective and curative fungicide for the control of Botrytis and Powdery Mildew on Roses.**

<b>ACTIVE INGREDIENT:</b>	Boscalid 250g/L
<b>FORMULATION</b>	Suspension Concentrate (SC)
<b>REGISTRATION NO:</b>	PCPB(CR) 2082-p(i)
<b>WHO CLASSIFICATION:</b>	WHO Class III
<b>MODE OF ACTION:</b>	Insignia 25SC is a protective and curative fungicide against Botrytis and Powdery Mildew on Roses.

Insignia 25SC contains Boscalid from Carboxamide chemical group. It protects the plant by inhibiting fungal spore germination and as a curative fungicide by inhibiting mycelial growth and sporulation. It is absorbed by the foliage, inhibits fungal spore germination and germ tube elongation.

Crop	DISEASE	DOSAGE		Timing and frequency of application
		g/20L	Kg/ha	
Roses	Powdery mildew	16ml	800ml in 1000L of water	• Apply in the early stages of disease development. Ensure thorough coverage of the plant.
	Botrytis	24ml	1.2L in 1000L of water	• Apply thrice (3 times) at 10 days interval.

**Re-entry interval (REI):** 12 hours

**Mixing instructions:** Half-fill the spray tank with water. Add the required amount of Insignia 25SC then fill the water to the required level and mix or agitate thoroughly to uniformity. Spray immediately after mixing.

#### BENEFITS:

- Excellent efficacy on head botrytis, stem botrytis and Post-Harvest Botrytis.
- Has translaminar activity thus enhanced control of Powdery mildew and Botrytis on roses.
- Long lasting efficacy and guaranteed high quality flowers during heavy rain season
- Excellent crop safety; Insignia 25SC is not phytotoxic to roses.
- Cost effective due to low rate of application, at 20ml in 20 litre of water and 1L per hectare

**AVAILABLE PACKS:** 1 Lt

