

**DESCRIPTION**

**Brief description:** Uster Top® 32.5% SC is a broad spectrum, systemic and contact foliar fungicide for the control of Stem Rust & Yellow Rust in wheat and Rust, Angular leaf spot and Anthracnose on French beans.

**Mode of action:** Uster Top® 32.5% SC contains Azoxystrobin and Difenoconazole.

Azoxystrobin belongs to Strobilurin chemical group. It acts as an inhibitor of mitochondria respiration by disrupting the energy within the fungus and interrupting the biosynthesis of ergosterol. This interferes with fungal life cycle mainly during spore germination, infection and hyphen growth.

Difenoconazole belongs to Triazole chemical group. It stops development of fungi by interfering with biosynthesis of sterols in cell membranes.

**Mixing instructions:** Half-fill the spray tank with water. Add the required amount of Uster Top® 32.5% SC, then fill the water to the required level and mix or agitate thoroughly to uniformity. Ensure the spray mixture is used the same day it is prepared.

**Directions for use:**

Crops	Diseases	Rate	Timing and frequency of application
Wheat	Yellow Rust and Stem Rust	1L/Ha in 1000L of water; 20mL/20L of water	Under low disease pressure, the application rate can go down to 0.75L/Ha
French beans	Rust, Angular leaf spot and Anthracnose	500mL/Ha in 1000L water; 10mL/20L knapsack	Under high disease pressure, the rate can go up to 750 mL/ha

~ Application rate - refer to the attached warranty leaflet - section A ~

**Re-entry interval (REI):** 12 hours

**Resistance Management:** Repetitive/continual use of Uster Top® 32.5% SC can lead to disease resistance. It is recommended that Uster Top® 32.5% SC is alternated with pest control products with a different MODE OF ACTION as well as adhere to good farming practices.

**HAZARDS/ PRECAUTIONS:**

**Handling:** Wear protective clothing namely overall, gloves, chemical resistant boots and face shield or safety eye goggles during handling, mixing and application and cleaning of equipment. Do not inhale the spray mist, do not clean blocked pipes and mouthpieces by blowing into them orally. Do not spray when there is wind; do not spray on edible crops or feed crops other than the ones mentioned on the label. Avoid floating to neighboring edible crops or feed crops. Avoid staying within the spray cloud. Do not eat, drink or smoke while handling the product.

**After work:** Remove protective clothing and wash skin thoroughly with soap and plenty of water. Wash the spraying equipment and any contaminated clothing carefully before re-use.

**STORAGE:** Store in its original unopened container, in a cool dry and well-ventilated place. Keep out of reach of children and unauthorized persons. Keep away from food, drinks and animal feeds.

**DISPOSAL:** Triple rinse empty container and add washings/rinse off to spray mixture, then perforate or puncture holes on empty containers. Do not pour rinsates into any drain or on any site near human or animal habitation, water sources, water ways or water bodies. Dispose off in accordance with National Legislation and Regulation on hazardous chemical waste. Do not reuse empty pesticide containers for any other purpose.

**Accidental release:** Keep people away from the spill area. Use personal protective equipment when cleaning up the spill. Do NOT wash away into sewer. Do NOT let this chemical enter the environment. Pour the contents of leaking container into an empty container that originally held same product or put leaking container into a larger, clearly labelled container. Absorb liquid pesticides by covering the spill with absorbent materials, such as sawdust, clay or kitty litter. Dispose off in accordance with National Legislation and Regulation on hazardous chemical waste.

**ENVIRONMENTAL HAZARDS:** Uster Top® 32.5% SC is harmful to fish and aquatic organisms. Do not contaminate ponds and waterways by direct application, drift, cleaning of equipment or disposal of waste and empty containers.

**FIRST AID INSTRUCTIONS:**

**Skin contact:** Take off contaminated clothing and wash skin with soap and plenty of water. If irritation occurs, seek medical advice.

**Eye Contact:** Hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes. Call a Poison Control Centre or doctor for treatment advice.

**If inhaled:** Move patient to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek medical attention.

**If swallowed:** Wash out mouth with plenty of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

**SEEK MEDICAL ATTENTION IMMEDIATELY**

**TOXICOLOGICAL INFORMATION:** Uster Top® 32.5% SC is hazardous. This product is dangerous to inhale or digest.

**Symptoms of poisoning:** Causes irritation or allergic reactions upon skin or eye contact.

**Antidote:** There is no specific antidote.

**Note to physician:** Treat symptomatically.

**IN CASE OF POISONING, CALL TOLL FREE EMERGENCY No.: 0800 72 00 21 / 0800 73 00 30 (24Hrs)**

**NOTICE TO USERS:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act (Cap 346) to use or store a pest control product under unsafe conditions.

**WARRANTY:** Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handing of this product and accepts the product on that condition.

**READ THE LABEL BEFORE USING  
(SOMA KIBANDIKO KABLA YA KUTUMIA)**

**KEEP LOCKED OUT OF REACH OF CHILDREN  
(WEKA MBALI NA WATOTO)**

# Uster Top® 32.5% SC

**A fungicide for the control of Stem Rust & Yellow Rust in Wheat; Rust, Angular leaf spot and Anthracnose on French beans.**

**(Kiu ku ku kinachodhibiti Ukungu katika mimea ya Ngano; Ukungu, 'Angular leaf spot' na 'Anthracnose katika Mishiri')**

**GUARANTEE (DHAMANA):**

Azoxystrobin 200 g/L + Difenoconazole 125 g/L

**COMMERCIAL & AGRICULTURAL CLASS  
(KUNDI LA BIASHARA NA KILIMO.)**

**REGISTRATION No. (NAMBAARI YA USAJILI):**  
PCPB(CR)1841-p(i)

**Date of manufacture:**  
(Tarehe ya kutengenezwa)

**Expiry date:**  
(Tumia kabla ya)

**Batch No.:**  
(Nambari ya kifurushi)

**IN CASE OF POISONING, CALL TOLL FREE EMERGENCY No. (WAKATI WA KUSUMIKA, PIGA NAMBAARI YA DHARURA BILA MALIPO): 0800 72 00 21 / 0800 73 00 30 24 Hrs (Masaa 24)**

**Distributor  
(Wasambazaji):**



Twiga Chemical Industries Ltd  
P.O. Box 30172 GPO, 00100  
Nanyuki Road - Industrial Area,  
Nairobi, Kenya  
+254 20 394 2000  
www.twigachemicals.com

**Agent (Ajenti):**



Kencrop Kenya Ltd  
P.O. Box 45191-00100,  
Nairobi, Kenya  
Tel: +254 (0)721 96 3557  
Email: info@kencrop.com

**Manufactured for  
(Imetengenezewa):**



Sineria Ltd.  
Agias Fylaxeos & Zinonos Rossidi 2,  
2/F, P.C. 3082 Limassol, Cyprus

**Net Content:  
(Ujazo):**

**1L**

*Uster Top is a registered trademark of Kencrop Kenya Ltd*

**WHO CLASS II (Moderately hazardous)**



**HARMFUL  
(HUDHURU)**

**MAELEZO:**

**Maelezo kwa jumla:** Uster Top® 32.5% SC ni kiu ku ku kinachodhibiti ukungu katika mimea ya ngano; ukungu, 'angular leaf spot' na 'anthracnose katika mishiri'.

**Jinsi inavyofanya kazi:** Viungo vyake Uster Top® 32.5% SC ni Azoxystrobin na Difenoconazole.

Azoxystrobin hutoka katika kikundi cha kemikal cha Strobilurin ambayo huzua kupumua kwa 'mitochondria' hivyo kuathiri ukuu wa fungi wakati wa kuota kwa 'spores', maambukizi na ukuaji wa 'hypen'. Difenoconazole hutoka katika kikundi cha kemikal cha Triazole ambayo hudhibiti ukuuji wa kuu ku ku utengenezaji wa 'sterols' katika 'cell membrane'.

**Maelezo ya matumizi:** Tia maji kwene bomba hadi katikati. Ongeza kiasi cha Uster Top® 32.5% SC kama iliyopendekeza kisha uongezee kiasi cha maji kilichosalia huku ukichanganya kwa kutikisa hadi usawa. Nyunyizia punde tu unapotayarisha dawa.

**Maeleko ya matumizi:**

Zao	Ugonjwa	Kiwango	Maelezo
Ngano	"Yellow Rust" and "Stem Rust"	Lita 1/Ha ukutumia lita 1000 za maji; Millilita 20 kwa lita 20 za maji	Nyonyiza lita 0.75/Ha ugonjwa haujaeena
Mishiri	"Rust", "Angular leaf spot" na Anthracnose	Millilita 500/Ha ukutumia lita 1000L za maji; Millilita 10 kwa lita 20 za maji	Nyonyiza lita 0.75/Ha mashambulizi yakizidi

~ Kipimo cha Matumizi - rejea kijikaratacha dhamaana kilichoambatishwa - kifungu A ~

**Muda salama wa kusubiri kabla ya kuingia mahali Uster Top® 32.5% SC imepigwa: Masaa 12**

**Kudhibiti ukinzani:** Matumizi ya Uster Top® 32.5% SC kwa marudio inaweza kusababisha ukinzani. Inashuriwa kuwa Uster Top® 32.5% SC ibadilishwe na viua ku ku vingine vilivyo na **UTENDAJI KAZI** tofafu na pia kufuatilia kanuni nzuri na kilimo.

**HATARI/TAHADHI:**

**Matumizi:** Valia nguo za kujikinga kama vile overoli, glovu, buti zinazodhibiti kemikal na kinga ya uso au miwani unapotumi, kuchanganya na kunyonyizia dawa na unapoosta vifaa ya kunyonyizia dawa. Usipumue mvuke au kusafisha kwa kupuliza, mabomba yaliyozilivu na vifuniko. Usipige dawa kukiwa na upendo au kwa mazao ya chakula yasiyopendekeza. Epukana kuelea kwa mazao lishe jirani. Epukana na kukaa kwene wingu la dawa. Usile, usiyne wala kuvuta sigara unapotumi dawa hihi.

**Baada ya kazi:** Vua nguo na usio ngozi kwa maji mengi na sabuni. Osha vifaa ya kunyonyizia dawa na nguo zilizoahafuila na dawa kua makini kabla ya kuzitumia upya.

**UHIFADHI:** Hifadhi kwene chombo chake asili isipofunguliwa na ikiwekwa paahili pakavu mbali na joto, na penye hewa safi. Weka mbali na watoto na watu wasioihiniswa, vyakula, vinywaji na vyakula ya wanyama.

**KUTUPA:** Safisha chombo tupu kwa kusunza mara tatu na kuongeza maji haya kwene mchanganyiko wa dawa, kisha tobaa au kuharibhi chombo tupu. Usimwage maji haya katika mifereji yoyote au katika maeneo yaliyo karibu na makao ya kibinadamu au wanyama, vyanzo, njia au mili ya maji. Tupa kulingana na sheria na kanuni za nchi, dhidi ya utupaji wa kemikal hatari. Usitumie tena vyomo tupu kwa madhumuni mingeinayo.

**Kuvuja na kumwagika kwa dawa:** Weka watu mbali na maeneo yaliyomwagikia na dawa, Valia nguo za kujikinga unaposafisha, Usimwage maji haya katika mifereji ya maji taka. Usirhusi kemikalii hii kuingia katika mazingira, Mwaga makabi yaliyoma katika chombo kinachovua kwenye chombo tupu ambacho bidai kilikuwa na bidhaa hii au weka chombo kinachovua katika chombo kikubwa kilicho na kibandiko. Fyonza dawa iliyomwagikia kwa kufunka na machujo ya mbaob, udongo au bidakata ya paka. Tupa kulingana na sheria na kanuni za nchi, dhidi ya utupaji wa kemikalii hatari.

**ADHARI KWA MAZINGIRI:** Uster Top® 32.5% SC ni sumu hatari kwa samaki na viumbe vinavyoishi majini. Usitumie vidimbwi na mikondo ya maji kwa kunyonyizia moja kwa moja, kuelela, kusafisha vifaa au utupaji takaa na vyomo tupu.

**MAELEZO YA HUDUMA YA KWANZA:**

**Ikiwua ngozi:** Vua nguo zilizoahafuila na dawa hii kisha osha ngozi kwa maji mengi na sabuni. Tafta ushauri wa daktari.

**Ikiingia machoni:** Tiririsha kwa maji mengi ukua umeyafumbua macho angalau kwa dakika 15-20. Piga simu katika kituo cha kudhibiti sumu au tafta ushauri wa daktari.

**Ikipumuliwa:** Mpeleke mwathiria mahali atakapopata hewa safi. Mpe mwathiria oksijeni ikifa ana tatizo la kupumua. Tafuta ushauri wa daktari.

**Ikimezzi:** Osha kinywa kwa maji mengi. Usimazimishe mwathiria kutapika. Usimpe chochote aliyopoteza fahamu.

**PELEKA MJERUHI KWA DAKTARI**

**MAELEZO KUSU SUMU:** Uster Top® 32.5% SC ni hatari ikipumuliwa au ikimezzi.

**Dalili za kusumika:** Husababisha muwasho au athari ya mzungu kigusa ngozi au ikiingia machoni.

**Tiba:** Haina tiba maalum.

**Kidokezo kwa daktari:** Tibu kulingana na dalili

**WAKATI WA KUSUMIKA, PIGA NAMBAARI YA DHARURA BILA MALIPO:** 0800 72 00 21 / 0800 73 00 30 (Masaa 24)

**ILANI KWA MTUMIAJI:** Dawa hii sharti itumwi kuingia na maagizo yaliyo kwene kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibfu (Cap 346) kutumia au kuhifadhi dawa hii katika halii isiyi salama.

**THIBITISHO:** Dhamana ya muuza ni maelezo yaliyo kwene kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunzi lazima akubali hatari zozote zinazowea kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika halii hiyo.

*In case of any discrepancies between the two languages on the label, the English version shall prevail.*